



# CGT70-V-Nose 8' W x 20' - 26' L – 78" Wall Height Enclosed Cargo Trailer




## Standard Features

Standard LT Cargo features PLUS:

- Available In A-Frame Or Gooseneck
- Radius Front Wall With Composite Nose Cap
- Radius Top Rv Door
- Galvannealed Steel Cove Roof
- Aluminum Wheels
- Screwed Interior 3/8" Plywood Wall
- Torsion Axles
- Mezzanine Nudo Poly 3/4" Flooring
- Four Flush Mount Floor Tie-Downs
- Fully Enclosed Wiring
- HSS Structural Tubing Frame, Floor, Wall, Roof
- Screwless VHB Bonded Painted Aluminum Exterior Panels
- 4' Aluminum Barlocks

## Specifications

|                       |                               |                       |                       |
|-----------------------|-------------------------------|-----------------------|-----------------------|
| <b>Axle:</b>          | (2) 7,000 lb. Lippert Torsion | <b>Crossmembers:</b>  | Steel HSS 2.0" X 2.0" |
| <b>Brakes:</b>        | Electric Self-Adjusting       | <b>Floor:</b>         | 3/4" Nudo Poly Floor  |
| <b>Coupler:</b>       | Kingpin/2.3125" Ball Coupler  | <b>Walls:</b>         | 3/8" Plywood          |
| <b>Jack:</b>          | (2) 12,000 lb. Side-Wind      | <b>Wheels:</b>        | 235/80R16 E Aluminum  |
| <b>Side Door:</b>     | 36" x 72" with RV Latch       | <b>Electric Plug:</b> | 7 Wire Plug           |
| <b>Floor D-Rings:</b> | 2,000 lb.                     | <b>Ramp:</b>          | 2,500 lb. Midspan     |
| <b>Main Rails:</b>    | Steel HSS 6.0" X 2.0"         |                       |                       |



## Dimensions

| Model         | A    | B        | C        | D   | E         | F        |
|---------------|------|----------|----------|-----|-----------|----------|
| CGT70-820V-78 | 97"  | 246 1/4" | 343 1/4" | 25" | 113 5/16" | 343 1/4" |
| CGT70-824V-78 | 117" | 274 1/4" | 391 1/4" | 25" | 113 5/16" | 343 1/4" |
| CGT70-826V-78 | 126" | 289 1/4" | 415 1/4" | 25" | 113 5/16" | 415 1/4" |

| Model         | Rear Door Entrance | Space Between Fenders |
|---------------|--------------------|-----------------------|
| CGT70-820V-78 | 89"W X 78 3/4"H    | 81"                   |
| CGT70-824V-78 | 89"W X 78 3/4"H    | 81"                   |
| CGT70-826V-78 | 89"W X 78 3/4"H    | 81"                   |

| Model         | Description                                              | Net Weight | GVWR       | Payload Cap. |
|---------------|----------------------------------------------------------|------------|------------|--------------|
| CGT70-820V-78 | 8' x 20' x 78" wall height, 7,000 lb. Tandem Axle V Nose | 4,182 lb.  | 17,501 lb. | 13,319 lb.   |
| CGT70-824V-78 | 8' x 24' x 78" wall height, 7,000 lb. Tandem Axle V Nose | 4,348 lb.  | 17,501 lb. | 13,153 lb.   |
| CGT70-826V-78 | 8' x 26' x 78" wall height, 7,000 lb. Tandem Axle V Nose | 4,469 lb.  | 17,501 lb. | 13,032 lb.   |



THE CANADIAN  
WELDING BUREAU



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised January 2025



## CHT70 8' x 16'-24' x 78" Wall Height Enclosed Cargo Trailer




### Standard Features

Standard LT Cargo features PLUS:

- Available In A-Frame Or Gooseneck
- Radius Front Wall With Composite Nose Cap
- Radius Top Rv Door
- Galvannealed Steel Cove Roof
- Aluminum Wheels
- Screwed Interior 3/8" Plywood Wall
- Torsion Axles
- Mezzanine Nudo Poly 3/4" Flooring
- Four Flush Mount Floor Tie-Downs
- Fully Enclosed Wiring
- HSS Structural Tubing Frame, Floor, Wall, Roof
- Screwless VHB Bonded Painted Aluminum Exterior Panels
- 4' Aluminum Barlocks

### Specifications

|                       |                               |                       |                       |
|-----------------------|-------------------------------|-----------------------|-----------------------|
| <b>Axle:</b>          | (2) 7,000 lb. Lippert Torsion | <b>Crossmembers:</b>  | Steel HSS 2.0" X 2.0" |
| <b>Brakes:</b>        | Electric Self-Adjusting       | <b>Floor:</b>         | 3/4" Nudo Poly Floor  |
| <b>Coupler:</b>       | 21,000 lb. Demco Adjustable   | <b>Walls:</b>         | 3/8" Plywood          |
| <b>Jack:</b>          | 5,000 lb. Top-Wind            | <b>Wheels:</b>        | 235/80R16 E Aluminum  |
| <b>Side Door:</b>     | 36" x 72" with RV Latch       | <b>Electric Plug:</b> | 7 Wire Plug           |
| <b>Floor D-Rings:</b> | 2,000 lb.                     | <b>Ramp:</b>          | 800 lb. Midspan       |
| <b>Main Rails:</b>    | Steel HSS 6.0" X 2.0"         |                       |                       |



## Dimensions

| Model        | A    | B          | C          | D   | E         | F          |
|--------------|------|------------|------------|-----|-----------|------------|
| CHT70-816-78 | 77"  | 125 13/16" | 202 13/16" | 25" | 113 5/16" | 244 11/16" |
| CHT70-820-78 | 97"  | 153 13/16" | 250 13/16" | 25" | 113 5/16" | 292 11/16" |
| CHT70-824-78 | 117" | 181 13/16" | 298 13/16" | 25" | 113 5/16" | 340 11/16" |

| Model        | Rear Door Entrance | Space Between Fenders |
|--------------|--------------------|-----------------------|
| CHT70-816-78 | 89.0"W X 78 3/4"H  | 81"                   |
| CHT70-820-78 | 89.0"W X 78 3/4"H  | 81"                   |
| CHT70-824-78 | 89.0"W X 78 3/4"H  | 81"                   |

| Model        | Description                                       | Net Weight | GVWR       | Payload Cap. |
|--------------|---------------------------------------------------|------------|------------|--------------|
| CHT70-816-78 | 8' x 16' x 78" wall height, 7,000 lb. Tandem Axle | 3,315 lb.  | 15,400 lb. | 12,085 lb.   |
| CHT70-820-78 | 8' x 20' x 78" wall height, 7,000 lb. Tandem Axle | 3,712 lb.  | 15,400 lb. | 11,688 lb.   |
| CHT70-824-78 | 8' x 24' x 78" wall height, 7,000 lb. Tandem Axle | 4,109 lb.  | 15,400 lb. | 11,291 lb.   |



THE CANADIAN  
WELDING BUREAU

**SOUTHLAND**  
TRAILERS



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised November 2025